



Quick Start Guide



F11

<section-header> Image: Construction of the Constru







З

Unfold the handle





Select an Open Flight





5





- Press and hold the button until the Aircraft plays startup sound.
- Short-press to power on the Transmitter.

Pair the Transmitter with the Aircraft



• Push up the left stick and the Transmitter plays a sound "di".



• Push down the left stick and the Transmitter plays another sound "di".

${\underline{\wedge}}$ Once successfully paired, white light will stay on.

6

Connect to Wi-Fi

15:35	, di 5G 💽	FII v
WLAN		
MY NETWORKS		¢ oute
RUKO-F11-XXXX	? (j)	Tap "CONTROLS" icon

• Connect the mobile device to the Aircraft's Wi-Fi and enter the App operation page. Please refer to user manual (page 31) for more details.

Calibrate the Compass



Calibrate the Gyroscope

• Push joysticks to 11 & 1 o'clock position. (About 2 seconds)



A level ground



Search for GPS Automatically



Tips: 1. The searching time depends on the flight environment.
2. If unsuccessful, the motors can't be started.

Start the Motors

• Push joysticks to 5 & 7 o'clock position.

(About 2 seconds)



Take off

• Push up the left stick or press the "Auto Takeoff" button.







NEW TO FLYING DRONES?



CONTACT US FOR MORE TECH SUPPORT

Rukodrone@gmail.com

+1 (949) 394 - 4635 (Available from 6pm to 3am PDT)

Printed in China.

Common Problems and Solutions

Question	Reason	Solutions
The motors cannot be started	Weak GPS signal	Turn on the Aircraft in an open area with strong GPS signal
	The red light stays on	The Aircraft has low battery. Please charge the battery in time
	The pink light stays on	The compass is not calibrated. Please refer to the "Calibration Before Flight" section of the user manual
	The left and right joystick are in place	Push the left and right joysticks simultaneously to 5 o'clock and 7 o'clock for 2 seconds
Unstable flight	Flying too low; affected by airflow	Please fly the Aircraft above 9.84ft(3 meters)
	The gyroscope is not calibrated	Place the Aircraft on a horizontal surface and conduct gyroscope/horizontal calibration. Please refer to the "Calibration Before Flight" section of the user manual
	The propellers become deformed and incomplete	Replace the propellers with new ones
	GPS signal is unstable. Flying near buildings and in obstructed places	Please fly the Aircraft in an open area free of obstacles within the circle of radius 32.81 ft(10 meters)
The flight direction is opposite or inconsistent	The Aircraft is placed incorrectly before takeoff	Before takeoff, keep the camera ahead and the tail towards the pilot
with the remote control	Get into Headless mode	Turn off headless mode
The Aircraft fall suddenly	Emergency stop is used	Do not use the emergency stop in non-emergen- cy situations to avoid unnecessary losses
Out of control, spinning around on its own, abnormal sound	The Transmitter signal is interfered or the Aircraft exceeds the range of remote control	Please fly the Aircraft outdoors without interference, and ensure that it is within a controllable range
	Compass interference	Please manually land the drone in time and calibrate the compass. Please make sure to fly away from the buildings, trees, power lines, and signal towers
	The propellers become deformed and incomplete	Replace the propellers with new ones
The camera cannot be adjusted up and down	There are obstacles between the camera and the ground. When the Aircraft is turned on the camera	Restart the drone and ensure that there is enough space under the camera
	swings down for self-checking and the camera got stuck on obstacles	Recalibrate the gyroscope, and the camera will recheck itself as well
The camera will not point directly forward	This is the unique design of the camera, not a malfunction	Prevent propellers from affecting photography. Adjust the angle of the camera and let it point straight ahead to acquire best shooting experience
Video freezes, image transmission distance is short	The Aircraft is out of Wi-Fi range	Fly the Aircraft within the range of the Wi-Fi
	WiFi image transmission signal interference	Fly the Aircraft in an unobstructed open area free of buildings, high-voltage wires and signal towers
	The transmitter and the mobile phone are not pointed at the direction of the drone	Point the Transmitter and the mobile device at the flying direction of the Aircraft to maintain the strongest signal connection
	Phone performance freezes	Close unused apps running in the background to maintain the best performance of the phone

Question	Reason	Solutions
App does not display the interface	The phone is not connected to Wi-Fi	Connect your mobile device to the Wi-Fi : Ruko*****
	The phone version is too low	Android 6.0 and above, IOS 10.02 and above
	When connecting to the drone's WiFi the network is not set or	Set the Wi-Fi correctly
	set incorrectly	Turn the phone to airplane mode
	VPN switch is turned on	Turn off the VPN switch
Phone cannot connect to	It is the first time to connect	Try connecting a few more times or restart the
Wi-Fi	your phone to the Wi-Fi	phone
The WiFi name is not displayed in the list	The phone is a single band	Use the dual band devices that support both 2.4
	phone	GHz and 5 GHz/5.8 GHz
	WiFi has not been activated	Wait for about 30 seconds after turning on the Aircraft and keep refreshing the Wi-Fi list while the Wi-Fi is activated
	Turning on the drone indoors	GPS signals cannot be found indoors. Please
		Please stay away from obstacles for more than
GFS signat is weak	Under the tree, next to the	32.81 feet(10 meters), and search for GPS signals
	building, in an obstructed place	in an open area
Unable to return home,	GPS signal was turned off	Please don't turn off GPS suddenly during
drifting and flying away	during the flight	outdoor flight. Switch back to GPS mode in time
The Transmitter does not charge / App always says the Transmitter has low battery	The phone cannot connect to the Transmitter due to the wrong sequence for turning equipment on	The correct sequence is: Turn the Aircraft on first, then turn on the Transmitter.Next push the left stick up and down to pair the Transmitter with the Aircraft.Connect your mobile device to Wi-Fi in the end
The Aircraft cannot be paired with the Transmitter	Pairing the Transmitter with the Aircraft without unlocking the Transmitter	Correct pairing steps: 1. Turn on the Aircraft. 2. Turn on the Transmitter: push the left joystick to 12 o'clock position, and then push it down to 6 o'clock position to unlock the Transmitter and pair it with the Aircraft. Lights of the Aircraft turn pink if the Transmitter is successfully paired with the Aircraft
Cannot charge battery/- Cannot fully charge battery	Using inferior charger or charging on the computer with unstable voltage output	Use a mobile USB charger that ensures constant stable voltage output(5V) and amperage output (2-3A)
	Using inferior charging cables	Please use the original factory charging cable to charge
Short battery life	Flying in windy weather	Flying in windy weather will accelerate power loss
	Flying in cold weather	In low temperatures, the chemical reaction of the lithium battery is slowed down and the energy cannot be fully released
The product has slight marks	We tested all Aircraft before shipping	In order to give you the best experience, we tested functions of all Aircraft before shipping. Therefore, it is inevitable that there will be slight traces. However, it can be guaranteed that all Aircraft are 100% brand new

